



5G India 2020

(5G – Technology & Business Perspective)

“5G Standardisation”
Presented by Mr. Dinesh Chand Sharma



Agenda

- About Project SESEI
- 5G Standardization
 - 3GPP
 - ETSI: 5G building block



04-11-2020

About Project SESEI



04-11-2020

Slide 3

Project is a permanent presence in India

SESEI (Seconded European Standardization Expert in India) is a local face for the European standardization community in India: Dinesh Chand Sharma



Why SESEI: India is a major trade partners for Europe, Increasing role of standards to gain market access and Evolving & complex nature of regulatory and standardization landscapes, Sharing best practices, work together

Sector: 1. ICT: M2M/IoT, Security, 5G, NFV/SDN, e-Accessability, eHealth, eCALL... **2. Electrical equipment including Consumer Electronics:** Smart Grid, Smart Meter, LVDC, Micro- Grid, Lift Escalator... **3. Automotive:** Connected Cars, ITS, e-Mobility... **4. Smart Cities:** Mobility, Waste, Energy, ICT and other topics of mutual interests such as Machinery Safety, Cableways, Circular Economy, Railways etc.

www.sesei.eu , www.sesei.in , www.eustandards.in



SESEI | Seconded European
Standardisation
Expert in India
Enabling Europe-India Cooperation on Standards

04-11-2020

Slide 4

5G Standardization (3GPP)




04-11-2020

Slide 5

5G – brings new growth

Perfect storm of technology trends:

- Availability of a reliable low latency radio and a fully flexible network
- Artificial Intelligence and Automation
- Device revolution for Augmented Reality and Virtual reality
- The Vertical industries going cellular




IMT-2020




IMT-2020

The 5G NR access technology and the 5G core network from 3GPP will meet the potential deployment scenarios identified during the ITU-R discussion on the requirements for the IMT-2020 5G system




3GPP 5G NR

- Operation from low to very high bands: 0.4 – 100GHz
- Ultra wide bandwidth (Up to 100MHz in <6GHz, Up to 400MHz in >6GHz)
- Set of different numerologies for optimal operation in different frequency ranges
- Native forward compatibility mechanisms
- New channel coding
- Native support for Low Latency and Ultra Reliability
- Flexible and modular RAN architecture: split fronthaul, split control- and user-plane
- Native end-to-end support for Network Slicing



5G Core Network

- Functional entities → Services
- Virtual Core
- Internal Communication: APIs
- Harmonized protocols
- Function/service exposure
- CP / UP Separation



Feature rich 'Releases'



Release 15

- NR
- The 5G System – Phase 1
- Massive MTC and Internet of Things (IoT)
- Vehicle-to-Everything Communications (V2x) Phase 2
- Mission Critical (MC) interworking with legacy systems
- WLAN and unlicensed spectrum use
- Slicing – logical end-2-end networks
- API Exposure – 3rd party access to 5G services
- Service Based Architecture (SBA)
- Further LTE improvements
- Mobile Communication System for Railways (FRMCS)

Release 16

- The 5G System – Phase 2
- V2x Phase 3: Platooning, extended sensors, automated driving, remote driving
- Industrial IoT
- Ultra-Reliable and Low Latency Communication (URLLC) enh.
- NR-based access to unlicensed spectrum (NR-U)
- 5G Efficiency: Interference Mitigation, SON, eMIMO, Location and positioning, Power Consumption, eDual Connectivity, Device capabilities exchange, Mobility enhancements
- Integrated Access and Backhaul (IAB)
- Enh. Common API Framework for 3GPP Northbound APIs (eCAPIF)
- Satellite Access in 5G
- Mobile Communication System for Railways (FRMCS Phase 2)

Release 17

- NR MIMO
- NR Sidelink enh.
- 52.6 - 71 GHz with existing waveform
- Dynamic Spectrum Sharing (DSS) enh.
- Industrial IoT / URLLC enh.
- Study - IoT over Non Terrestrial Networks (NTN)
- NR over Non Terrestrial Networks (NTN)
- NR Positioning enh.
- Low complexity NR devices
- Power saving
- NR Coverage enh.
- Study - NR eXtended Reality (XR)
- NB-IoT and LTE-MTC enh.
- 5G Multicast broadcast
- Multi-Radio DCCA enh.
- Multi SIM
- Integrated Access and Backhaul (IAB) enh.
- NR Sidelink relay
- RAN Slicing
- Enh. for small data
- SON / Minimization of drive tests (MDT) enh.
- NR Quality of Experience
- eNB architecture evolution, LTE C-plane / U-plane split
- Satellite components in the 5G architecture
- Non-Public Networks enh.
- Network Automation for 5G - phase 2
- Edge Computing in 5GC
- Proximity based Services in 5GS
- Network Slicing Phase 2
- Enh. V2x Services
- Advanced Interactive Services
- Access Traffic Steering, Switch and Splitting support in the 5G system architecture

- Unmanned Aerial Systems
- 5GC LoCation Services
- Multimedia Priority Service (MPS)
- 5G Wireless and Wireline Convergence
- 5G LAN-type services
- User Plane Function (UPF) enh. for control and 5G Service Based Architecture (SBA)

These are some of the Rel-17 headline features, prioritized during the December 2019 Plenaries (TSG#86)

Start of work: January 2020


Full details of the content of Rel-17 are in the Work Plan: www.3gpp.org/specifications/work-plan

© 3GPP - February 2020

Release Schedule



- Phase 1 (Rel-15) addresses the more urgent subset for commercial deployments
- Phase 2 (Rel-16) Completes the 3GPP IMT 2020 submission (ITU-R) and addresses all identified use cases & requirements...
- Massive effort to complete Rel-16 on time in 2020.
- E-meetings and COVID-19 have challenged the ability of the groups to meet the timelines (right)
- During TSG SA#89-e the TSG Chairs (CT, RAN and SA) confirmed that their groups will continue to study the situation, to arrive at the best common decision possible at the next Plenaries
- A firm decision on a delay to the freeze date of 3GPP Release 17 will be made in December 2020.




Source: 3GPP TSG SA#87e, 17-20 March 2020, e-meeting document SP-200222

© 3GPP 2020

5G Standardization (ETSI)

ETSI: 5G building blocks



- While much of the **5G standardization work will be done in 3GPP**
- Several ETSI's TBs and ISG provide input to 3GPP and/or collaborate with 3GPP

Network Functions Virtualization (NFV)

- **In Nov 2012 - Service providers came together and formed ETSI NFV ISG**
 - NFV Major Benefits: Network on demand, “network elasticity”
 - develops NFV standards, proofs-of-concept and conducts its research in two-year phases.
 - Six working groups: [TST](#), [SOL](#), [REL](#), [IFA](#), [EVE](#), and [SEC](#) and more than [100 publications](#) have been produced since its formation.
- **Scope of the 5G-related activity**
 - ETSI ISG NFV has defined the reference architecture which is used as baseline architecture for 5G
 - Strong collaboration with other SDOs, open-source projects, and industry forums to ensure NFV delivers deployable solutions for 5G
- **NFV Achievements**
 - Release 1 (2013 – 2014), Release 2 (2015 – 2016), Release 3 (2017-18) & Release 4 (2019-20)

[Published NFV specifications are available here>>>](#)

Multi-access Edge Computing (MEC)

- MEC offers application developers and content providers cloud-computing capabilities and an IT service environment at the edge of the network.
- **Scope of the 5G-related activity:**
 - MEC is a key enabler for a significant number of 5G use cases
 - MEC is well positioned as a key contributor to fixed-mobile integration
 - Like NFV, MEC also defines architecture and APIs for management of MEC compute infrastructure.
 - Additionally, MEC also defines APIs for several services such as Radio Network Information Service (RNIS) and Location Service
- **MEC Achievements:**
 - Foundation for Edge Computing created – Fully standardized solution to enable applications in distributed cloud created by ETSI MEC + 3GPP

[ETSI MEC published related specifications are available here>>](#)

Millimetre Wave Transmission (mWT)



- ETSI established **mWT ISG** to provide a platform and opportunity for companies and organizations involved in the microwave and millimetre-wave industry to address the challenges involved in using this spectrum
- **mWT** concerns the use of millimetre wave spectrum for radio transmission, which lies in the 30GHz to 300GHz range (with wavelengths from 10mm to 1mm).
- **Scope of the 5G-related activity:**
 - Facilitate the use of the V-band (57-66 GHz), E-band (71-76 & 81-86 GHz) and in the future higher frequency bands (from 50 GHz up to 300 GHz) for large volume applications in the back-hauling and front-hauling to support mobile network implementation.
 - Wireless backhaul and front-haul serving the requirements of 5G in terms of capacity, topology, latency and any other technical or network feature
- **mWT achievements:**
 - **[ETSI GR mWT 012](#)** , **[mmWave Semiconductor Industry Technologies: Status and Evolution](#)**
 - **Latest publications** are available **[here](#)**

Non-IP Networking (NIN)



- ISG on NIN has been set up recently to standardize a digital communications technology fit for the 21st century.
 - Standardize the concept of a flow, control plane protocols for managing flows, and appropriate packet formats.
 - It has identified several technical issues with the current (TCP/IP-based) technology which prevent it delivering the required levels of service without excessive complexity or, in some cases, at all.
- The new protocols will provide:
 - virtual elimination of delays in forwarding real-world signals: not only audio and video but also tactile feedback and the position of vehicles or industrial robots
 - multicasting of live content (such as sports events) to an unlimited number of subscribers
 - more efficient use of spectrum and of processing power
 - better security, both privacy and resilience to denial-of-service
 - better performance when accessing remote content such as web pages
 - ways of guaranteeing network service sustainability
 - extensibility: packet formats do not have to be the same throughout the system, and introducing new features such as a new kind of addressing only affects the control plane messages

Conclusions

- 3GPP is industry driven - Standardization of interfaces enables an interoperable, multi-vendor approach to deployment
- 5G new radio (nr) remains high focus for RAN groups
- Release 17 focus will continue to expand towards new use cases and new sectors...with particular progress on IoT
- 5G will be a multi-Release technology (beyond Release 17)
- While much of the 5G standardization work will be done in 3GPP, Several ETSI's TBs and ISG provide input to 3GPP and/or collaborate with 3GPP
 - NFV, MEC, mWT, NIN etc.

Thank you!

Dinesh Chand Sharma

(Seconded European Standardization Expert in India)

Director – Standardization & Public Policy

SESEI C/O EBTC, DLTA Complex, Gate No 3, 1st Floor, 1, Africa Avenue,
New Delhi 110029

Mobile: +91 9810079461, **Tel:** +91 11 3352 1525,

dinesh.chand.sharma@sesei.eu

www.sesei.eu ↔ www.sesei.in



SESEI | Seconded European
Standardisation
Expert in India
Enabling Europe-India Cooperation on Standards

04-11-2020

Slide 17